FAUQUIER COUNTY GOVERNMENT AND PUBLIC SCHOOLS PROCUREMENT DIVISION

320 Hospital Drive, Suite 23 Warrenton, Virginia 20186

Phone: (540) 428-8714 Fax: (540) 347-5753

NOTICE OF CONTRACT AWARD

1.	DATE:	May 31, 20	006	
2.	COMMODITY NAME:	Asphalt Pa	oving & Surfa	ce Treatment
3.	CONTRACT NUMBER:	82-06bwc		
4.	SUPERCEDES:	86-01khc		
5.	CONTRACT PERIOD:	May 31, 20	06 through Ma	ay 30, 2007
6.	RENEWAL OPTIONS:	Four (4) o	ne-year rene	wals
7.	CONTRACTOR(s): A) Finley Asphalt & Sea 9105 Industry Drive Manassas Park, VA Ph: 703-368-2289 Fax: 703-330-6023 Contact: Erick Finley		3434 Gua	35-6657
8.	TERMS:	Net 45 day	ys	
9.	DELIVERY:	As Schedu	ıled	
10.	FOR FURTHER INFORM	IATION CON	ITACT:	Kathie Haggerty PH (540) 428-8714
11.	NOTICE TO ALL FAUQUIER COUNTY GOVERNMENT AND PUBLIC SCHOOL USING DEPARTMENTS: This contract is the result of a competitive bid program and its use must follow the FCG&PS Procurement Policy/Procedures for the purchase of the commodity listed herein. Please see the reverse side of this notice for further instructions regarding this contract.			
		By: Kath	nie Haggerty,	Senior Buyer

INSTRUCTIONS

- 1. Orders: All FCG&PS Using Departments must order services listed by issuing FCG&PS Purchase Orders per FCG&PS Procurement Procedures Manual. An exception to this shall be the use of the pre-approved utilities voucher by the Contract Administrator only. An extra copy of the Procedures Manual can be obtained by calling Procurement at (540) 428-8717 or 8720.
- 2. The applicable contract number, vendor number, estimated total dollar amount (can be done as a "Not to exceed" estimated figure), contact person with phone number, and billing/delivery address must be shown on each purchase order for Finance & Contractor use.
- 3. Inspection on delivery and approval of contractor's invoice is the responsibility of the receiving using department.
- 4. Any complaint as to quality of goods or services, faulty or delinquent delivery, or violation of contract provisions by contractor shall be reported to FCG&PS Procurement for handling with the Contractor. All complaints must be submitted in writing and can be forwarded to Procurement via fax or courier.
- 5. <u>Renewals:</u> As stated on the face of this notice, four (4) one-year renewals exist on this contract. The contract will be renewed by mutual agreement of both parties, approximately sixty days prior to expiration of the current contract term, with input and approval from FCG & PS Using Departments.
- 6. See Attached Price List for Finley Asphalt (Primary vendor)
 See Attached Price List for John Lake Paving (secondary vendor)

CONTRACT PRICING, WORK SITES 200 SQUARE YARDS AND LESS Finley Asphalt & Sealing Incorporated

(Please note that numbering on bid form does not match numbering on catalog)

1. A. B. C. D. E. F. G. H. I. J. K. L. M. O. P.	CLASS I REPAIR Remove two inches (2") asphalt paving Remove additional inch asphalt paving Remove six inches (6") stone base material Remove additional base per inch above 6" Install 2" S-5 asphalt paving Install one additional inch S-5 paving Install three inches (3") B-3 asphalt paving Install 6" 21-A stone at 95% compaction (ASTM D-698 Install additional inch 21-A stone above 6" Same as "A" except bid hand work Same as "B" except bid hand work Sames as "C" except bid hand work Fine grading (up to one foot deep) Furnish and apply S-5 asphalt paving Furnish and apply 21-A stone Haul dirt or stone offsite	\$ 3.85/s.y. \$ 1.25/s.y. \$ 3.30/s.y. \$60/s.y. \$ 11.00/s.y. \$ 5.50/s.y. \$ 16.00/s.y. \$ 9.00/s.y. \$ 1.25/s.y. \$ 10.00/s.y. \$ 2.50/s.y. \$ 1.00/s.y. \$ 1.00/s.y. \$ 35.00/c.y. \$ 30.00/ton
2. A. B. C.	CLASS II REPAIR Asphalt Sealant Crack Sealant Geotextile Fabric	\$_4.00 /s.y. \$_1.50 /l.f. of crack ½" wide \$_5.00 /s.y.
3. A.	CLASS III REPAIR Sub-base Bituminous Surfacing, Compaction	\$ <u>18.00/s.y.</u>
4.	COLOR COAT SYSTEM	\$ <u>10.00/s.y.</u>
5.	PLAYING LINES	\$ <u>1.00/I.f.</u>
6. A. B. C. D. E. F.	CONCRETE CURB AND GUTTER Remove curb and gutter Remove 6" stone base material Remove additional inch stone base per inch above 6" Install curb and gutter Install 6" 21-A stone at 95% compaction (ASTM D-698 Install additional inch 21-A stone per inch above 6" at 95% compaction Furnish and apply 21-A stone at 95% compaction	\$ <u>.50</u> /l.f. \$ <u>35.00</u> /c.y.
H.	Install exposed aggregate handicap accessibility ramps	\$ <u>60.00</u> /s.y.
7. A. B.	SIDEWALKS Remove and Replace New Sidewalks	\$ <u>63.00</u> /s.y. \$ <u>36.00</u> /s.y.
8.	PENETRATION SURFACE COURSE COLOR	\$ <u>5.00</u> /s.y. \$ <u>10.00/</u> s.y.

PAGE 1 OF 3

CONTRACT PRICING, WORK SITES 201-500 SQUARE YARDS Finley Asphalt & Sealing Incorporated

4. A.	CLASS I REPAIR Remove two inches (2") asphalt paving	\$ <u>3.85</u> /s.y.
B.	Remove additional inch asphalt paving	\$ <u>1.10</u> /s.y.
C.	Remove six inches (6") stone base material	\$ <u>3.30</u> /s.y.
D.	Remove additional base per inch above 6"	\$ <u>55</u> /s.y.
E.	Install 2" S-5 asphalt paving	\$ <u>8.80</u> /s.y.
F.	Install one additional inch S-5 paving	\$ <u>4.00</u> /s.y.
G.	Install three inches (3") B-3 asphalt paving	\$ <u>12.50/</u> s.y.
Н.	Install 6" 21-A stone at 95% compaction (ASTM D-698	
I.	Install additional inch 21-A stone above 6"	\$ <u>1.25</u> /s.y.
J.	Same as "A" except bid hand work	\$ <u>4.50</u> /s.y.
Κ.	Same as "B" except bid hand work	\$ <u>2.25</u> /s.y.
L.	Same as "C" except bid hand work	\$ <u>5.00/</u> s.y.
M. N.	Same as "D" except bid hand work	\$ <u>1.00</u> /s.y.
Ν. Ο.	Fine grading (up to one foot deep) Furnish and apply S-5 asphalt paving	\$ <u>5.00</u> /s.y. \$ <u>75.00</u> /ton
О. Р.	Furnish and apply 21-A stone	\$ <u>73.00</u> /ton \$ <u>30.00</u> /c.y.
Q.	Haul Dirt or stone offsite	\$ <u>30.00</u> /c.y. \$ <u>30.00/ton</u>
Q.	riddi bii t oi storie orisite	\$ <u>50.007 tol1</u>
5.	CLASS II REPAIR	
A.	Asphalt Sealant	\$ <u>3.00/s.y.</u>
B.	Crack Sealant	\$ 1.50 /I.f. of crack ½" wide
C.	Geotextile Fabric	\$ <u>5.00</u> /s.y.
		•
6.	CLASS III REPAIR	
Α.	Sub-base Bituminous Surfacing, Compaction	\$ <u>18.00</u> /s.y.
4.	COLOR COAT SYSTEM	\$ <u>10.00</u> /s.y.
_	2	
5.	PLAYING LINES	\$ <u>1.00</u> /l.f.
6.	CONCRETE CURB AND GUTTER	
Ο. Α.	Remove curb and gutter	\$ <u>12.00</u> /l.f.
В.	Remove 6" stone base material	\$ <u>4.00</u> /I.f.
C.	Remove additional inch stone base per inch above 6"	\$ <u>75</u> /I.f.
D.	Install curb and gutter	\$ <u>20.00</u> /l.f.
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698	
F.	Install additional inch 21-A stone per inch above 6" at	, ·
	95%compaction	\$50/I.f.
G.	Install additional inch 21-A stone per inch above 6" at	
	95% compaction	\$ <u>35.00</u> /c.y.
H.	Furnish and apply 21-A stone at 95% compaction	\$ <u>60.00</u> /s.y.
		-
7.	SIDEWALKS	
Α.	Remove and Replace	\$ <u>63.00</u> /s.y.
B.	New Sidewalks	\$ <u>36.00</u> /s.y.
0	PENETRATION SURFACE COURSE	\$ 5.00/c v
8.	COLOR	\$ <u>5.00</u> /s.y. \$ <u>10.00</u> /s.y.
	COLOIN	φ <u>10.00</u> /3.y.

PAGE 2 OF 3

CONTRACT PRICING, FOR WORK SITES 501 SQUARE YARDS AND OVER Finley Asphalt & Sealing Incorporated

7. A. B. C. D. E. F. G. H. I. J. K. L. M. N. O. P.	CLASS I REPAIR Remove two inches (2") asphalt paving Remove additional inch asphalt paving Remove six inches (6") stone base material Remove additional base per inch above 6" Install 2" S-5 asphalt paving Install one additional inch S-5 paving Install three inches (3") B-3 asphalt paving Install 6" 21-A stone at 95% compaction (ASTM D-698) Install additional inch 21-A stone above 6" Same as "A" except bid hand work Sames as "B" except bid hand work Sames as "D" except bid hand work Fine grading grade base stone Furnish and apply S-5 asphalt paving Furnish and apply 21-A stone Haul dirt or stone offsite	\$_2.50/s.y. \$_1.00/s.y. \$_3.00/s.y. \$50/s.y. \$_8.00/s.y. \$_4.00/s.y. \$_11.50/s.y. \$_1.00/s.y. \$_1.00/s.y. \$_1.00/s.y. \$_3.00/s.y. \$_1.00/s.y. \$_1.00/s.y. \$_1.00/s.y. \$_1.00/s.y. \$_1.00/s.y. \$_3.00/s.y. \$_3.00/s.y. \$_3.00/ton \$_30.00/ton
8. A. B. C.	CLASS II REPAIR Asphalt Sealant Crack Sealant Geotextile Fabric	\$_3.00/s.y. \$_1.25/l.f. of crack ½" wide \$_4.00/s.y.
9. A.	CLASS III REPAIR Sub-base Bituminous Surfacing, Compaction	\$ <u>18.00</u> /s.y.
4.	COLOR COAT SYSTEM	\$ <u>10.00</u> /s.y.
5.	PLAYING LINES	\$ <u>1.001</u> /l.f.
6. A. B. C. D. E. H.	CONCRETE CURB AND GUTTER Remove curb and gutter Remove 6" stone base material Remove additional inch stone base per inch above 6" Install curb and gutter Install 6" 21-A stone at 95% compaction (ASTM D-698) Install additional inch 21-A stone per inch above 6" at 95% compaction Furnish and apply 21-A stone at 95% compaction	\$_12.00/I.f. \$_4.00/I.f. \$75/I.f. \$_20.00/I.f. \$_3.00/I.f. \$50/I.f. \$_35.00/c.y.
Н.	Install exposed aggregate handicap accessibility ramps	\$ <u></u>
9. A. B.	SIDEWALKS Remove and Replace New Sidewalks	\$ <u>63.00</u> /s.y. \$ <u>36.00</u> /s.y.
10.	PENETRATION SURFACE COURSE COLOR	\$ <u>5.00</u> /s.y. \$ <u>10.00</u> /s.y.

SHEET WORK SITES 200 SQUARE YARDS AND LESS JOHN LAKE PAVING & SURFACE TREATMENTS

(Please note that numbering on bid form does not match catalog)

1. A. B. C. D. E. F. G. H. I. J. K. L. M. N. O. P.	CLASS I REPAIR Remove two inches (2") asphalt paving Remove additional inch asphalt paving Remove six inches (6") stone base material Remove additional base per inch above 6" Install 2" S-5 asphalt paving Install one additional inch S-5 paving Install three inches (3") B-3 asphalt paving Install 6" 21-A stone at 95% compaction (ASTM D-698 Install additional inch 21-A stone above 6" Same as "A" except bid hand work Same as "B" except bid hand work Same as "C" except bid hand work Same as "D" except bid hand work Fine grade base stone Furnish and apply S-5 asphalt paving Furnish and apply 21-A stone Haul dirt or stone offsite	\$6.00/s.y. \$2.00/s.y. \$3.50/s.y. \$0.75/s.y. \$10.00/s.y. \$4.75/s.y. \$13.00/s.y. \$1.30_/s.y. \$1.30_/s.y. \$1.500/s.y. \$7.50/s.y. \$7.00_/s.y. \$1.16/s.y. \$13.00_/s.y. \$1.30_/s.y. \$1.46/s.y. \$1.500_/s.y. \$1.500_/s.y. \$1.500_/s.y. \$1.500_/s.y. \$1.500_/s.y. \$1.500_/s.y. \$1.500_/s.y. \$1.500_/s.y. \$1.500_/s.y.
2. A B. C.	CLASS II REPAIR Asphalt Sealant Crack Sealant Geotextile Fabric	\$ <u>4.50</u> /s.y. \$ <u>2.75</u> /l.f. of crack ½" wide \$ <u>8.50</u> /s.y.
3. A.	<u>CLASS III REPAIR</u> Sub-base Bituminous Surfacing, Compaction	\$ <u>20.00</u> /s.y.
4.	COLOR COAT SYSTEM	\$ <u>16.00</u> /s.y.
5.	PLAYING LINES	\$ <u>1.50</u> /l.f.
6. A. B. C. D. E. J.	CONCRETE CURB AND GUTTER Remove curb and gutter Remove 6" stone base material Remove additional inch stone base per inch above 6" Install curb and gutter Install 6" 21-A stone at 95% compaction (ASTM D-698 Install additional inch 21-A stone per inch above 6" at 95% compaction Furnish and apply 21-A stone at 95% compaction	\$ <u>2.50</u> /l.f. \$ <u>60.00</u> /c.y.
H.	Install exposed aggregate handicap accessibility ramps	
7. A. B.	SIDEWALKS Remove and Replace New Sidewalks	\$ <u>63.00</u> _/s.y. \$ <u>35.00</u> _/s.y.
10.	PENETRATION SURFACE COURSE COLOR	\$ <u>14.50</u> _/s.y. \$ <u>12.00/</u> s.y.

PRICING SHEET FOR WORK SITES 201 – 500 SQUARE YARDS JOHN LAKE PAVING & SURFACE TREATMENTS

1. A. B. C. D. E. F. G. H. J. K. L. M. N. O. P.	CLASS I REPAIR Remove two inches (2") asphalt paving Remove additional inch asphalt paving Remove six inches (6") stone base material Remove additional base per inch above 6" Install 2" S-5 asphalt paving Install one additional inch S-5 paving y. Install three inches (3") B-3 asphalt paving Install 6" 21-A stone at 95% compaction (ASTM D-698 Install additional inch 21-A stone above 6" Same as "A" except bid hand work Same as "B" except bid hand work Sames as "C" except bid hand work Fine grading (up to one foot deep) Furnish and apply S-5 asphalt paving Furnish and apply 21-A stone Haul dirt or stone offsite	\$3.75/s.y. \$1.50/s.y. \$2.50/s.y. \$.65/s.y. \$11.00/s.y. \$5.50/s.y. \$12.25/s.y. \$1.25/s.y. \$7.50/s.y. \$1.16/s.y. \$4.75/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y. \$1.00/s.y.
2. A. B. C.	CLASS II REPAIR Asphalt Sealant Crack Sealant Geotextile Fabric	\$ <u>4.00</u> /s.y. \$ <u>2.75</u> /l.f. of crack ½" wide \$ <u>4.50</u> _/s.y.
3. A.	CLASS III REPAIR Sub-base Bituminous Surfacing, Compaction	\$ <u>18.00/</u> s.y.
4.	COLOR COAT SYSTEM	\$ <u>16.00</u> /s.y.
5.	PLAYING LINES	\$ <u>1.50</u> /l.f.
6. A. B. C. D. E. F.	CONCRETE CURB AND GUTTER Remove curb and gutter Remove 6" stone base material Remove additional inch stone base per inch above 6" Install curb and gutter Install 6" 21-A stone at 95% compaction (ASTM D-698 Install additional inch 21-A stone per inch above 6" at 95% compaction Furnish and apply 21-A stone at 95% compaction Install exposed aggregate handicap accessibility ramps	\$ <u>.2.50_/</u> I.f. \$ <u>60.00</u> /c.y.
	SIDEWALKS	s φ <u>170.00</u> 73.y.
9. A. B.	Remove and Replace New Sidewalks	\$ <u>63.00</u> _/s.y. \$ <u>35.00</u> /s.y.
10.	PENETRATION SURFACE COURSE COLOR	\$ <u>14.50</u> _/s.y. \$ <u>12.00</u> /s.y.

PRICING SHEET FOR WORK SITES 501 SQUARE YARDS AND OVER JOHN LAKE PAVING & SURFACE TREATMENTS

1. CLASS I REPAIR

A. B. C. D. E. F. G. H. I. J. K.	Remove two inches (2") asphalt paving Remove additional inch asphalt paving Remove six inches (6") stone base material Remove additional base per inch above 6" Install 2" S-5 asphalt paving Install one additional inch S-5 paving Install three inches (3") B-3 asphalt paving Install 6" 21-A stone at 95% compaction (ASTM D-698) Install additional inch 21-A stone above 6" Same as "A" except bid hand work Same as "B" except bid hand work	\$2.50/s.y. \$1.25_/s.y. \$2.50/s.y. \$.65_/s.y. \$10.25/s.y. \$5.00/s.y. \$12.25/s.y. \$7.50_/s.y. \$1.25/s.y. \$7.00/s.y.
K.	Same as "B" except bid hand work	\$ <u>1.16</u> /s.y.
L.	Sames as "C" except bid hand work	\$ <u>4.75/</u> s.y.
M.	Sames as "D" except bid hand work	\$ <u>.80</u> _/s.y.
N.	Fine grading (up to one foot deep)	\$ <u>1.00</u> /s.y.
Ο.	Furnish and apply S-5 asphalt paving	\$ <u>74.00</u> /ton
Ρ.	Furnish and apply 21-A stone	\$ <u>28.00</u> /c.y.
Q.	Haul dirt or stone offsite	\$ <u>4.00</u> /ton

2. CLASS II REPAIR

- A. Asphalt Sealant \$4.00/s.y.
- B. Crack Sealant \$2.75/l.f. of crack ½" wide
- C. Geotextile Fabric \$8.50/s.y.

3. CLASS III REPAIR

- A. Sub-base Bituminous Surfacing, Compaction \$20.00/s.y.
- 4. COLOR COAT SYSTEM \$16.00/s.y.
- 5. PLAYING LINES \$1.50/l.f.

6. CONCRETE CURB AND GUTTER

٠.	CONTRACT CONDITIONS	
A.	Remove curb and gutter	\$ <u>12.50</u> /l.f.
B.	Remove 6" stone base material	\$ <u>7.00</u> /l.f.
C.	Remove additional inch stone base per inch above 6"	\$ <u>29.00</u> /l.f.
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>14.00</u> /l.f.

- F. Install additional inch 21-A stone per inch above 6" at
- 95% compaction \$2.50/l.f.

 G. Furnish and apply 21-A stone at 95% compaction \$42.00/c.y.

 H. Install exposed aggregate handicap accessibility ramp \$195.00/s.y.
- 9. SIDEWALKS
- A. Remove and Replace \$63.00/s.y.
 B. New Sidewalks \$35.00_/s.y.
- 10. PENETRATION SURFACE COURSE \$14.00 /s.y. COLOR \$_12.00/s.y.